

2025 Programme of Measurement of Non-lonising Radiation Third Interim Report

Interim Report

Reference: 25/90

Date: 17/12/2025

Content

Section	Page
1: Introduction	3
2: Sites Surveyed and Summary of Measurement Results	s4
2.1 Sites surveyed in November 2025	4
2.2 Summary of Measurement Results	5
2.3 View Individual Site Survey Reports	5
Appendix 1: Explanatory Notes	6
Note 1: Radio Frequency Spectrum	6
Note 2: Wireless Telegraphy Licences	8
Note 3: Non-Ionising Radiation	8
Note 4: International Commission on Non-Ionizing Radiation	Protection (ICNIRP) 8
Note 5: General Authorisation	10
Note 6: Aggregate Level of Non-Ionising Radiation	10
Note 7: The Electromagnetic Spectrum	10
Note 8: Frequency	11

1: Introduction

- 1. The Commission for Communications Regulation ("ComReg") is the national authority responsible for the management of Ireland's *radio frequency spectrum*¹. Radio spectrum is used to support a wide range of applications and electronic communications services, such as radio and television broadcasting, mobile telephony, emergency services communications, and wireless broadband.
- 2. It is a condition of various *Wireless Telegraphy licences* issued by ComReg that licensees must ensure that *non-ionising radiation ("NIR")* emissions from each transmitter operated under the licence must be within the limits set down in the guidelines published by the *International Commission on Non-Ionizing Radiation Protection ("ICNIRP")* ("ICNIRP Exposure Limits")². Levels of NIR emissions from a licensed transmitter must not exceed the ICNIRP Exposure Limits in any part of the site or surrounding area to which the general public has access. This is also a condition of a *General Authorisation* for the provision of an electronic communications network ("ECN") and/or service ("ECS").
- 3. To assess compliance with the ICNIRP Exposure Limits, ComReg conducts a "Programme of Measurement of Non-Ionising Radiation" ("Programme of Measurement"), under which NIR surveys are conducted in proximity to a sample number of licensed transmitter sites nationwide each year. Each survey involves measurement of NIR levels at the point of highest exposure (in a public area) associated with the relevant transmitter.
- 4. This report forms part of an ongoing series of interim reports which outline ComReg's Programme of Measurements and summarises the results of the third set of site surveys (20 sites) undertaken during the 2025 programme. These surveys were conducted in November 2025 by Compliance Engineering Ireland Ltd., which was contracted by ComReg to assist it with the Programme of Measurement.

¹ See the Appendix for explanatory notes on the items highlighted in Italics.

² Note that these measurements were conducted using the 2020 ICNIRP Guidelines.

2: Sites Surveyed and Summary of Measurement Results

2.1 Sites surveyed in November 2025

	County/City	Address	Site Ids	Site within 50m
1.		Eircom		THR_LX003, EIR_LS_4544,
١.	LAOIS	Portlaoise	EIR_LS_4544	VOD_LSPGS
2.	LONGFORD	EOD f	EID I D 4000	EIR_LD_4236, VOD_LD050,
	LONGFORD	ESB Longford	EIR_LD_4236	0087_S01
3.	OFFALY	Edenderry Water Tower	EIR OY 4215	EIR_OY_4215, THR_OF0072, VOD OY403
		Friars Mill		
4.		Road		EIR_WH_4211,
	WESTMEATH	Mullingar	EIR_WH_4211	VOD_WH033, THR_WM0010
5.	0.1	Doughiska	EID 01/ 0000	EIR_GY_2380,
	Galway City	Road Galway	EIR_GY_2380	THR_GA0021, VOD_GY173
6.	LEITRIM	Manorhamilton Garda Station	EIR LM 3136	EIR_LM_3136, THR_LT0053, GR180
	LLITIXIIVI	Strokestown	LIIX_LIVI_3 130	EIR RN 3256, THR RS0107,
7.	ROSCOMMON	Water Tower	EIR_RN_3256	VOD_RN034
8.		Lakeview		EIR_CN_4243, VOD_CN015,
0.	CAVAN	Cavan	EIR_CN_4243	THR_CN0091
9.	0.100	Clayton Hotel	=== 00 400=	EIR_SO_4897,THR_SI0004,
	SLIGO	Sligo	EIR_SO_4897	VOD_SO073
40		St McCartans		FID MAL 4000
10.	MONAGHAN	Terrace Monaghan	EIR MN 4260	EIR_MN_4260, THR MH0074, VOD MNEMG
	MONAGHAN	Sandfield	EIN_WIN_4200	THK_WIN0074, VOD_WINEWIG
11.	CLARE	Centre Ennis	EIR CE 3962	EIR CE 3962, THR CE0011
40		Avenue United		
12.	CLARE	FC	EIR_CE_2773	EIR_CE_2773, THR_CE0178
13.				EIR_MO_3067 ,
13.	MAYO	Kiltimagh	EIR_MO_3067	THR_MY0015
14.	1441/0	E. B. I. II.	EID NO 0444	EIR_MO_3111,
	MAYO	Eir Belmullet	EIR_MO_3111	VOD_MOBML
15.	DONEGAL	ESB Buncrana	EIR DL 3816	EIR_DL_3816, VOD_DLE12, THR DO0182
10	·	Station Road		EIR DL 3811, THR DO0193,
16.	DONEGAL	Carndonagh	EIR_DL_3811	VOD_DL049, EE206
17.		Lifford		EIR_DL_4077, THR_DO0192,
	DONEGAL	Common	EIR_DL_4077	VOD_DL2LD

				EIR_GY_4003,
18.				VOD_GYTUM, THR_GA0346,
	GALWAY	Eir Tuam	EIR_GY_4003	ER103
10				EIR_GY_2314,
19.	GALWAY	Eir Ballinasloe	EIR_GY_2314	THR_GA0258 , VOD_GY074
20				EIR_GY_3005, VOD_GY149,
20.	GALWAY	ESB Loughrea	EIR_GY_3005	THR_GA0300

2.2 Summary of Measurement Results

5. At each of the 20 sites surveyed, the aggregate level of Non-Ionising Radiation measured was found to fall below the ICNIRP Exposure Limits for the general public.

2.3 View Individual Site Survey Reports

6. Further details of the measurements and how they were conducted are set out in separate survey reports for each site. Copies of the reports are available on Site viewer (http://siteviewer.comreg.ie), an on-line facility provided by ComReg, which shows the locations of GSM, UMTS (3G), LTE (4G) and NR (5G) mobile phone base stations throughout Ireland on a map.

Appendix 1: Explanatory Notes

Note 1: Radio Frequency Spectrum

- A 1.1 In physics the radio frequency spectrum is commonly defined as that part of the *electromagnetic spectrum* at frequencies between 3 kHz and 300 GHz. In the context of radiocommunications, the International Telecommunications Union ("ITU") characterises the radio spectrum as the part of the electromagnetic spectrum at frequencies lower than 3 000 GHz³.
- A 1.2 Radio spectrum is used to support a wide range of applications and electronic communications services, such as radio and television broadcasting, mobile telephony, emergency services communications and wireless broadband.
- A 1.3 Radio technologies use electromagnetic waves to send information in free space. Many different radio applications can be used at the same time by employing waves of different *frequency*.
- A 1.4 Radio spectrum is divided into "bands" (i.e. ranges of frequencies) and different applications use different bands. For example:
 - terrestrial TV broadcasting networks (e.g. Saorview) transmit in the frequency range 470 790 MHz;
 - mobile phone networks in the 700, 800, 900, 1800, 2100 MHz bands⁴;
 - domestic cordless phones in the range 1880 1900 MHz;
 - Wi-Fi in the frequency range 2400 2483.5 MHz (and also 5150 5350 MHz and 5470 5725 MHz);
 - while satellite communications tend to use even higher frequencies.

A 1.5 See Figure below.

³ No. 1.5 of Article 1 of the Radio Regulations, Edition of 2016, International Telecommunications Union

⁴ 700 Band: 758 – 788 MHz downlink, 703 – 733 MHz uplink

⁸⁰⁰ band: 791 – 821 MHz downlink, 832 – 862 MHz uplink

⁹⁰⁰ band: 880 - 915 MHz uplink, 925 - 960 MHz downlink

¹⁸⁰⁰ band: 1700 – 1785 MHz uplink, 1805 – 1880 MHz downlink 2100 band: 1920 – 1980 MHz uplink, 2110 – 2170 MHz downlink




Figure 1: The Radio Frequency Spectrum (not to scale)⁵

⁵ Subdivision of radio spectrum as per No. 2.1 of Article 2 of the Radio Regulations, Edition of 2016, International Telecommunications Union (ITU)

Note 2: Wireless Telegraphy Licences

- A 1.6 ComReg is the authority charged with the authorisation of radio equipment in Ireland, except for Ships Radio. ComReg has set down specific rules and regulations for the possession and use of many forms of radio equipment. These regulations can specify the licensing regime or exempt certain radio equipment from licensing.
- A 1.7 The possession and use of radio equipment in Ireland is governed by the Wireless Telegraphy Act 1926 (Act No 45 of 1926) (as amended), which requires that an appropriate Wireless Telegraphy licence must be held, unless a licence-exemption applies. ComReg licenses, among other things, wireless systems, such as mobile phone and wireless broadband networks, emergency services communications, satellite earth stations, point-to-point links and television and radio broadcasting.

Note 3: Non-Ionising Radiation

- A 1.8 Radio waves and microwaves used for wireless telecommunications are a form of non-ionising radiation. This radiation is characterised by energy per photon less than approximately 12 eV, wavelengths greater than 100 nm, or frequencies lower than 3×10^{15} Hz.
- A 1.9 It includes all radiations and fields of the electromagnetic spectrum that do not normally have sufficient energy to produce ionisation in matter and have sufficient energy only for excitation. As such, it does not break bonds that hold molecules in cells together.
- A 1.10 According to ICNIRP, the known biological effects at very high radiation intensity are, depending on frequency, heating, burns, accumulation of charge on body surface and disturbance of nerve responses and muscle stimulation.

Note 4: International Commission on Non-Ionizing Radiation Protection (ICNIRP)

A 1.11 ICNIRP⁶ is a non-governmental organisation formally recognised by the World Health Organisation. It is an independent body of scientific experts in fields relating to NIR, such as medicine, dermatology, ophthalmology, epidemiology, biology, photobiology, physiology, physics, electrical engineering and dosimetry.

⁶ For further information see www.icnirp.org.

- A 1.12 ICNIRP provides guidance and recommendations on protection from exposure to NIR. The ICNIRP Exposure Limits were developed following reviews of peer-reviewed scientific literature, including thermal and non-thermal effects, and are based on evaluations of biological effects that have been established to have health consequences.
- A 1.13 ICNIRP has defined two separate sets of guideline exposure limits for occupational and general public exposure:

(1) Occupational Exposure

The occupationally exposed population consists of adults who are generally exposed under known conditions and are trained to be aware of potential risk and to take appropriate precautions (e.g. telecommunications engineers working on a transmitter).

(2) General Public Exposure

The general public comprises individuals of all ages and of varying health status which might increase the variability of the individual susceptibilities. In many cases, members of the public are unaware of their exposure to electromagnetic fields. Moreover, individual members of the public cannot reasonably be expected to take precautions to minimise or avoid exposure. Therefore, ICNIRP advises more stringent exposure restrictions for the public than for the occupationally exposed population.

A 1.14 The ICNIRP Exposure Limits are set out in two documents:

"Guidelines for Limiting Exposure to Electromagnetic Fields (100 kHz to 300 GHz)", ICNIRP, published in Health Physics 118(5): 483-524; 2020. https://www.icnirp.org/cms/upload/publications/ICNIRPrfqdl2020.pdf

and

"Guidelines for Limiting Exposure to Time-Varying Electric and Magnetic Fields (1 Hz - 100 kHz)", ICNIRP, published in Health Physics 99(6):818-836; 2010. https://www.icnirp.org/cms/upload/publications/ICNIRPLFgdl.pdf

Note 5: General Authorisation

- A 1.15 Under European and national law any person intending to provide an electronic communications network or service shall, before doing so, notify the relevant national authority (ComReg in Ireland) of their intention to provide such a network/service.
- A 1.16 A person is deemed to be authorised to provide an electronic communications network or service once a completed notification has been received by ComReg. There may also be a requirement to hold a Wireless Telegraphy Licence depending on the service provided and equipment used to provide same. Persons holding an authorisation are subject to the conditions set out in a General Authorisation, one of which stipulates that the Authorised Person shall comply with any radiation emission standards adopted and published by ICNIRP.

Note 6: Aggregate Level of Non-Ionising Radiation

- A 1.17 At any measurement location it is most likely that numerous signals transmitted on different frequencies will be detectable. For example, the overall electromagnetic field may comprise contributions on many frequencies (e.g. multiple signals from several different mobile operators with antennas on the same mast) from the adjacent transmitter site and also secondary contributions from more distant transmitters (e.g. adjacent cell mobile base stations, TV transmitters serving the area etc.).
- A 1.18 ICNIRP has specified a means of assessing situations of simultaneous exposure to fields of different frequencies. Where applicable, additivity is examined separately for the effects of electrical stimulation effects (relevant up to 100 kHz) and thermal considerations (relevant above 100 kHz). The ICNIRP Guideline documents set out in detail how simultaneous exposure to multiple frequency fields is assessed.

Note 7: The Electromagnetic Spectrum

A 1.19 The electromagnetic spectrum is the range of all possible frequencies of electromagnetic radiation. It extends from radio waves at lower frequencies, through microwaves and visible light (a very small part of the spectrum) all the way to the extremely high frequency gamma rays that are a product of radioactive atoms. The electromagnetic spectrum contains both non-ionising and ionising radiation as shown in Figure 2.

The Electromagnetic Spectrum






Figure 2: The Electromagnetic Spectrum

Note 8: Frequency

A 1.20 The frequency of an electromagnetic wave is the number of cycles it repeats in one second. It is expressed in Hertz (Hz) or a multiple of Hertz, e.g. kHz (kilohertz - 1,000 Hertz), MHz (megahertz - 1,000,000 Hertz) or GHz (gigahertz - 1,000,000,000 Hertz).