

Irish Communications Market

Quarterly Key Data

Explanatory Memorandum

Document No:	11/98a
Date:	09 December 2011

Contents

Contents1
Executive Summary
Primary Data
Secondary data9
9 Pricing data9 Other data11
Glossary13
Appendix Revision of Teligen Basket Methodologies
1.1New IN THESE BASKET DEFINITIONS201.1.1Voice call calculations201.1.2Selective discounts211.1.3Local calling areas for the PSTN baskets23
PSTN baskets25
1.2 GENERAL BASKET RULES: PSTN 25 1.3 PSTN BASKET PARAMETERS 26 1.3.1 PSTN call durations 27
Mobile baskets
1.4 General basket rules

Executive Summary

Following the publication of an annual market review in November 1999, ComReg's predecessor- the ODTR- published its first Quarterly Review on 22nd March 2000.

Since that date, ComReg has continued to collect primary statistical data from authorised operators on a quarterly basis, in order to both understand current trends in the Irish communications market and inform external users.

Electronic communications networks and services can be offered in Ireland without the need for a preceding licence or authorisation. Therefore, not all providers of networks and services operating in the Irish market may have provided data for this report. However the report does aim to represent at least 95% of the total market.

ComReg would like to thank operators who have submitted data to ComReg for this report and hopes to see their continued co-operation in the future. ComReg welcomes any comments or feedback on any aspect of the quarterly review process, and would be particularly interested in suggestions that may improve the accuracy of information received or that would ease the burden for operators in collecting the data.

The information and statistics contained within this document are derived from a variety of sources, but are mostly reliant on data obtained from authorised operators.

Historically, ComReg's Quarterly Reports have adopted a rigorous and exacting standard, both with regard to accuracy and completeness. This is notwithstanding the fact that occasionally, the available data is not as complete as ComReg would ideally wish it to be.

However, ComReg is intent on an ongoing basis, on improving its standards wherever possible.

ComReg intends to make on-going improvements to enhance our processes of data collection and analysis. As part of our continued enhancement of the report, where appropriate a list of corrections to data will be highlighted at the front of each Quarterly Key Data Report indicating data that has been revised since the previous report.

This memo provides data definitions for all statistics contained in the Quarterly Report as well as a glossary of technical terms used in the report. Section 1.1 Primary Data is based on data supplied to ComReg by authorised operators, while section 2.1 Secondary data uses data supplied to ComReg by additional sources, such as the European Commission and market research companies.

This memo is updated with each published Quarterly Report to reflect where data may differ from previously published reports.

All data is quarterly unless otherwise stated. When year-on-year comparisons are made, this indicates that data in the current quarter (i.e. a 3 month period) is compared with the same quarter in the previous year.

In most cases data has been rounded to one decimal place in this report.

Extracts of data used in this report can be downloaded at <u>www.comstat.ie</u>

Primary Data

Figure/ Section	Indicator	Definition	
1.1.1	Total Number of Authorisations	Total number of cumulative authorisations issued since July 25 th 2003 by ComReg to fixed, mobile and broadcasting operators.	
1.2.1	Fixed, Mobile and Broadcasting as a % of Total Revenues	The share of total revenue generated by the provision of retail and wholesale fixed voice and data services retail mobile voice and data services as well as retai cable and MMDS broadcasting services	
1.3.1	Share of Total voice Call Volumes (minutes)	Overall total volumes or minutes of basic and advance voice calls made over both fixed and mobile public void networks, broken down by call type and expressed as percentage share of the total volume. Fixed Advance minutes include calls via payphones, Voice Over IP/voice over broadband minutes (included for the fir time in Quarter 2 2007). Mobile roaming calls made to visitors while in Ireland are excluded from the analysi as analysis is based on usage by domestic custome only of fixed and mobile networks, i.e. those custome whose current residence is in Ireland	
1.3.2	Total Voice Traffic	This table quantifies the total volume of voice calls originating (or initiated) from fixed (PSTN/ISDN) networks and from mobile networks.	
1.5.1	Total Subscriptions (Fixed and Mobile)	This chart shows the percentage split between fixed and mobile retail subscriptions in Ireland.	
2.1.1	Profile of Fixed Line Revenues	 Breakdown in % terms of share of total revenue generated by the direct¹ and indirect² provision of retai and wholesale fixed voice and data services, among a specific set of sub-categories: Interconnection (i.e. wholesale revenues generated by inter-operator traffic transactions), retail narrowband services (such as PSTN voice services and dial-up Internet services. This category also includes revenues from voice over broadband services.), retail broadband services (This category also includes revenues from WiFi services); leased line, managed services wholesale and retail revenues (including revenues from Partia Private Circuits) and other ancillary services including web-hosting, co-location services, directory publication & other services. 	
2.1.1.1	Operator Share of Fixed Line Revenues	The proportions of overall fixed line revenues (retail and wholesale) generated by alternative operators and Eircom. Includes shares of interconnection, retail narrowband, retail broadband services and leased line, managed services (including revenues from Partial Private Circuits), and other ancillary services including web-hosting, co-location services, directory publication and other services.	
2.1.1.2	Eircom's Market Share	This chart plots Eircom's share of total fixed line revenues over the previous 2 years.	
2.1.1.3	Fixed Revenue Market Shares	This chart shows the fixed revenue market share for operators who have 2.0% or more revenues market	

 $^{^{\}scriptscriptstyle 1}$ Provided to customer over their supplier's own network infrastructure and/or by means of unbundled local loops

 $^{^{\}rm 2}$ Provided to customer by means of their supplier's wholesale access to another operator's network infrastructure

Figure/ Section	Indicator	Definition
		share.
2.2.1.1	Direct and Indirect Fixed Narrowband Access Paths	Total number of direct ³ and indirect ⁴ fixed narrowband (data rates less than 144k) telephone lines, i.e. lines connecting the subscriber's terminal equipment to the public switched network and which have a dedicated port in the telephone exchange equipment. There is a one-to-one relationship between PSTN lines and access paths, i.e. one PSTN access path is equal to one line. ISDN lines can be separated by type: Basic, Fractional and Primary Rate. For basic rate ISDN line, each line is capable of carrying 2 access paths; for fractional rate ISDN, each line can carry up to 16 access paths; for primary rate ISDN, each line can carry up to 30 access paths. Therefore total fixed access paths are based on the number of PSTN lines plus the appropriate multiplier applied to the number of installed ISDN lines. These narrowband access paths are used to deliver voice telephony and/or dial-up internet access to subscribers.
2.2.2.1	Narrowband Indirect Access Paths	Total number of indirect ⁵ fixed narrowband (data rates less than 144k) telephone paths provided to customers by means of carrier pre-select only or wholesale line rental over PSTN or ISDN lines. Carrier pre-select allows the user to receive all or a portion of calls from one provider and line rental from a second provider (usually <i>eircom</i>). Wholesale line rental (also known as single billing) allows the user to receive every aspect of telephone service, including all calls and line rental from an alternative operator other than the incumbent operator, Eircom.
2.2.3.1	Fixed Market Retail Subscriptions by Type	This chart shows the percentage of subscriptions by type. Subscriptions mean a customer with at least one contract with an electronic communications service provider. Bundled subscriptions are subscriptions of a single operator who receive two or more services such as fixed and mobile telephony service, access to TV programmes and broadband internet access from that single operator, usually for a single price and as part of a single bill.
2.3.1 and 2.3.2	Fixed Voice Call Volumes (minutes)	Total number of retail minutes or traffic generated by means of fixed voice calls both direct ⁶ and indirect ⁷ Call volumes are broken down into domestic (including calls to Northern Ireland), international outgoing calls, calls to mobile and other/advanced minutes (this category includes calls made from payphones and voice over broadband /VoIP calls).
3.1.1	Total Number of Active Internet Subscriptions in Ireland	This table quantifies the number of subscriptions (both residential and business) with either narrowband or broadband internet access. The growth rates are for quarterly and year-on-year growth in subscription numbers across each form of internet access. A narrowband internet subscription is considered active if it has been accessed in the last 60 days of the quarter.

- ³ See note 1 above
- ⁴ See note 2 above
- ⁵ See note 2 above
- ⁶ See note 1 above
- ⁷ See note 2 above

Figure/ Section	Indicator	Definition
		Metered narrowband internet subscribers pay a variable charge per month based on their specific usage of the internet and access the internet primarily via the copper or PSTN network. This includes internet users who have a subscription with an Internet Service Provider (ISP) and those customers who do not have a subscription with an ISP. Flat-rate narrowband internet subscribers pay a fixed monthly fee for a defined number of hours of narrowband Internet access, primarily via the copper or PSTN network. DSL broadband subscribers use the conventional copper PSTN line for high-speed broadband access. DSL services are usually "always-on", i.e. the user does not have to initiate the Internet connection to access the internet. Some providers also offer time-based broadband services, i.e. the user pays for a limited amount of hours of broadband access per month. Other broadband subscribers use high-speed broadband services over platforms other than DSL (i.e. the copper network) such as fixed wireless access, cable modem fibre, satellite and mobile broadband using HSDPA. One subscriber may have more than one internet subscription.
3.1.2	Profile of Active Internet Subscriptions in Ireland	Proportion of total number of internet subscriptions (both narrowband and broadband in Ireland) broken down by copper (i.e. narrowband metered, narrowband flat-rate and DSL) and all other technology platforms (i.e. combined cable, satellite, fixed wireless access, satellite broadband, and mobile broadband over HSDPA) and expressed as percentages. This chart complements the table in figure 3.1.1.
3.1.3	Total Internet Subscriptions	This chart shows the trend in narrowband and broadband internet subscriptions over the last year.
3.1.4	Quarterly Growth in Total Internet and Broadband Subscriptions	This chart shows the quarterly growth rate in internet and broadband subscriptions over time.
3.1.5	Profile of Copper- based Internet Subscriptions	Breakdown of internet subscribers over copper lines, including dial-up narrowband subscribers (PSTN and ISDN), flat-rate narrowband and DSL technologies, as a percentage of total internet subscribers. Narrowband Dial-up is defined here as a metered service (typically over a dedicated 1891 or 1892 number, but can also be provided over an 1890 number) where the customer pays a variable charge per month based on their specific usage of the internet. This includes customers who have a subscription with an ISP and those customers who do not have a subscription to an ISP.
		A narrowband Flat-rate Internet subscription is a service (typically provided over an 1893 number) where the customer pays a flat monthly fee for a defined number of hours of dial-up Internet access. Narrowband data includes both business and residential customers.
		Broadband subscriptions are Digital Subscriber Line (DSL) subscriptions i.e. those using their conventional copper PSTN line for high-speed broadband access. DSL services are usually "always-on", i.e. the user does not have to initiate the Internet connection to access the internet. Some providers also offer time-based broadband services, i.e. the user pays for a limited amount of hours of broadband access per month.

Figure/ Section	Indicator	Definition
3.2.1	Provision of DSL	Broadband data includes both business and residential customers. Proportions of Digital Subscriber lines (DSL) supplied to
	Access	customers by means of direct retail supply by Eircom, and wholesale supply by eircom to other operators by means of fully unbundled lines or bitstream. ⁸ DSL (Digital Subscriber Line) is a technology for bringing high-bandwidth or broadband information to homes and small businesses over ordinary copper telephone lines.
3.2.2	Number of Local Loops Unbundled	This chart shows the total number of copper lines which have been unbundled by alternative operators and also shows the split between shared lines and those lines which have been fully unbundled. The local loop is the physical path, usually copper, which connects a local exchange to an end user. When availing of LLU, an operator has the option to rent either the entire loop ("full unbundling"), or, alternatively, to rent only the high capacity frequencies within the loop which are then used to provide broadband services ("LLU Line Share").
3.3.1	Broadband Subscriptions and Growth Rates by Platform	This table details subscriptions (both residential and business subscribers) across DSL, cable, satellite, fibre, fixed wireless and mobile broadband. The growth rates are for quarterly and year-on-year growth in subscription numbers across each broadband access platform and for total broadband subscription growth.
3.3.2	Broadband Subscriptions by Platform	Total number of broadband subscriptions (both residential and business customers) by means of DSL, cable modem, fibre, satellite, fixed wireless access and/or mobile broadband. Cable modems allow internet broadband access by means of cable TV connections. Fixed wireless access allows internet broadband access by means of wireless devices or systems located in fixed locations, such as homes and offices. Mobile broadband allows users to access the Internet both at a fixed location and while on the move by means of a
3.3.3	Broadband Platform Contribution to Broadband Growth	datacard or USB dongle attached to a laptop. This chart shows the percentage contribution of each broadband platform to total broadband growth over the last year.
3.3.4	Broadband Subscriptions by Subscription Type	This chart breaks out the proportions of total broadband subscriptions, and on specific broadband platforms such as cable modem and fixed wireless access, by business and residential segments of the market. Some of this data is based on estimates.
3.3.5	Broadband Subscriptions by Contracted Download Speeds and Subscription Type	This chart provides an indication of the percentage of total residential and total business broadband subscriptions split by categories of contracted (i.e. speed specified in the contract with the ISP as distinct from actual download speeds delivered by the ISP) download speeds.
3.3.6	Broadband Subscriptions by Contracted Download Speeds	This chart shows total broadband lines by contracted download speeds over the last year.
3.3.7	Market Share of Fixed	This chart shows eircom's and OAOs' retail broadband

⁸ Bitstream access refers to the situation where the incumbent installs a high-speed access link to the customer premises and then makes this access link available to third parties, to enable them to provide high-speed services to customers. Bitstream depends in part on the PSTN and may include other networks such as the ATM network, bitstream access is a wholesale product that consists of the provision of transmission capacity in such a way as to allow new entrants to offer their own, value-added services to their clients. The incumbent may also provide transmission services to its competitor, to carry traffic to a 'higher' level in the network hierarchy where new entrants may already have a broadband point of presence

Figure/ Section	Indicator	Definition
	Broadband Market	market shares across all broadband platforms (exc. mobile broadband), as a percentage of the total broadband market.
3.3.8	Subscription Market Share of the Fixed Broadband Market	This chart shows the percentage market share of the fixed broadband market by operators with at least 2% market share.
3.3.9	Subscription Market Share of the Mobile Broadband Market	This chart shows the percentage market share of mobile broadband subscriptions in Ireland.
3.5.1	WiFi hotspots, access points and Minutes of Use	This table lists the number of WiFi hotspots, access points in Ireland and usage volumes of these access points (expressed in total minutes) at the end of the reporting period. Hotspots are typically public locations at which broadband internet access can be obtained. At these hotspots, users with a computer (usually a laptop) can wirelessly connect to the internet either for free or on payment of a fee. Typical locations for such hotspots include cafes and restaurants, hotels and airports. In general terms, more than one access point can be found at a hotspot. Minutes of use are used to express usage as most WiFi users access or purchase WiFi networks on the basis of
4.1.1	Mobile subscriptions Irish Mobile Penetration Rate	dedicated time-delimited sessions. This chart shows the Total number of mobile phone subscriptions (both contract and prepaid) inclusive of and exclusive of mobile broadband subscriptions in Ireland. A prepaid subscriber refers to an active prepaid subscriber – i.e. those who have made an event that decrements their balance in the previous 90 days such as a pre-paid top up, outgoing call, SMS, MMS or mobile internet usage. A contract customer refers to a customer with a current contract subscription. This chart provides separate lines for mobile subscriptions with and without mobile broadband datacards and USB modems. Total number of mobile phone and data-card subscriptions (GSM/2G and 3G/HSDPA, both contract and prepaid) in Ireland as measured by the total number of active SIM cards, 3G datacards and USB modems divided by the total population and multiplied
4.2.1	Profile of Pre-paid and Post-paid	by 100. A prepaid subscriber refers to an active prepaid subscriber – i.e. those who have made an event that decrements their balance in the previous 90 days such as a pre-paid top up, outgoing call, SMS, MMS or mobile internet usage. A contract customer refers to a customer with a current contract subscription. This chart provides separate lines for mobile subscriptions with and without mobile broadband datacards and USB modems. This chart shows the proportion of pre-paid and post- paid mobile subscriptions (including mobile broadband)
4.2.2	Subscriptions Profile of Pre-paid and	over the last year. Percentages of total number of mobile phone and data-
4.2.2	Profile of Pre-paid and Post-paid Subscriptions by Operator	card subscriptions (GSM/2G and 3G/HSDPA) to each of the mobile service providers, broken down by pre-paid and post-paid (contract) packages
4.2.3	Profile of Pre-paid and Post-paid mobile Broadband Subscriptions	This figure shows the split between pre-paid and post- paid mobile broadband subscriptions.
4.2.4	Post-paid Business and Residential Mobile Subscriptions	This chart shows the split between post-paid business and residential mobile subscriptions.

Figure/ Section	Indicator	Definition	
4.3.1	SMS, MMS and Call Minute Volumes	Total volumes of mobile voice (calls) and data messages (both SMS and MMS) ⁹ made over mobile networks on a quarterly basis.	
4.3.2	Voice Call Minute Volumes by Type	This chart shows mobile voice minutes by category – mobile to mobile, mobile to fixed, mobile international / roaming and mobile advanced minutes.	
4.4.1	Total Mobile Retail Revenues	Total aggregate retail revenues generated by mobile network operators, split between voice and data services. Revenues from interconnection and mobile termination are not included as they are considered to be wholesale revenue streams. Revenues from mobile broadband services are included under data revenues.	
4.6.1	Market share – Number of Subscriptions (incl. Mobile Broadband)	Each mobile operator's share of the total number of mobile subscriptions (GSM/2G Sims and 3G/HSDPA Sims, datacards and modems), expressed as a percentage.	
4.6.2	Market share – Number of Subscriptions (excl. Mobile Broadband)	Each mobile operator's share of the total number of mobile subscriptions (GSM/2G and 3G Sims) expressed as a percentage. HSDPA data cards and modems are excluded from data in this chart.	
4.6.3	Mobile Revenue Market Share	Mobile operators' shares of total mobile retail revenues (GSM/2G and 3G/HSDPA), expressed as a percentage of total mobile retail revenues.	
4.7.1	Cumulative Mobile Numbers Ported	Total number of mobile numbers which have been retained by customers when they switched from one mobile operator to another. Both a cumulative total since Mobile Number Portability (MNP) was introduced in July 2003 and a total for each quarter are charted.	

⁹ SMS – Short Messaging Service; MMS = Multimedia Messaging Service

Secondary data

Pricing data

Sections 2.4, 3.6 and 4.8 contain comparative pricing data and are supplied by Teligen in its T-Basket and T-Connect and T-wireless products.

The pricing data is valid at February 2011 for fixed and mobile baskets and March and April 2011 for the fixed and mobile broadband baskets.

An OECD-approved methodology was adopted by Teligen to compare fixed (PSTN) and mobile tariffs. This format follows a basic three-step process consisting of: (i) the construction of one or more baskets of telephone services; (ii) the pricing of those baskets; and (iii) the conversion of the individual currencies to standard units (e.g. US dollar with Purchasing Power Parities (PPPs)). The appendix of this document provides more detail on the base rates used to calculate PPPs in the Teligen tariff baskets.

Purchasing power parities (PPPs) are the rates of currency conversion that eliminate the differences in price levels between countries. Comparative price levels are defined as the ratios of PPPs to exchange rates. They provide measures of the differences in price levels between countries. The PPPs are given in national currency units per US dollar.

In their simplest form, PPPs are simply price relatives which show the ratio of the prices in national currencies of the same good or service in different countries.

For example, if the price of a cauliflower in the United Kingdom is 2.00 pounds and in Ireland it is 1.50 euro, then the PPP for cauliflower between the United Kingdom and Ireland is 2.00 pounds to 1.50 euro or 1.33 pounds to the euro. This means that for every euro spent on cauliflower in Ireland, 1.33 pounds would have to be spent in the United Kingdom to obtain the same quantity and quality – or, in other words, the same volume – of cauliflower. One of the best known examples of this principle is the comparison of relative prices of a McDonald's Big Mac between countries as presented in *The Economist*.

The Central Statistics Office has also provided a user-guide to PPPs on its website.¹⁰

Both the PSTN and mobile baskets were updated following a public workshop in Barcelona in 2009.

Changes made as a result of this workshop are in addition to any tariff changes.

Because substantial changes were rolled out in the February 2010 PSTN and mobile basket updates, comparisons are not made for previous quarters.

Each chart after February 2010 will display a number in brackets against each country which is the respective position in the previous period's baskets.

Further detail of the PSTN and mobile baskets are provided in the appendix of this document.

The fixed broadband baskets are produced separately by Teligen in their T-Connect product and have been published by ComReg since December 2007. Therefore comparisons cannot be made with reports prior to Q4 2007 as the previous broadband tariff baskets were commissioned from Teligen by ComReg.

The baskets include analysis of cable modem as well as DSL tariffs in an attempt to broaden analysis of broadband beyond xDSL technologies.

The baskets assume an average usage profile for broadband of 30 hours and a 5GB data download allowance per month, with each internet session lasting 30 minutes for residential consumers and an average usage profile of 100 hours and 20GB data

¹⁰ http://www.cso.ie/surveysandmethodologies/surveys/prices/documents/word_docs/ppp.doc

download allowance per month, with each internet session lasting 60 minutes for business consumers.

While broadband is an always-on product, the assumption of an average user profile ensures that packages are comparable across countries. Upload and download speeds (based on contracted speeds) are also analysed for a range of packages offering contracted download speeds of between 1 and 4Mb and all speeds in the residential market and speeds of between 4 and 10MB in the business market.

The T-Connect product includes business and residential tariffs, as well as broadband tariffs that are bundled with additional telephony services such as line rental and/or telephone calls. Bundled tariffs include only internet and telephony services and only rental and charges related to the internet element are considered – in other words if calls are included in a bundle which contains broadband access, the call element is not added to the analysis, and standard PSTN and cable connection/rental charges are also not included. Bundles that include television services are also not analysed.

This is to ensure that the analysis is confined to the cost of broadband internet services, while also recognising that an increasing number of broadband users receive their broadband by means of a bundled service.

Where multiple bundles are offered in a specific country or by a specific operator, the cheapest bundle is used.

In general promotional offers such as "free connection" are not included unless such promotions are unlimited (e.g. permanent free connection promotions where the user never pays a connection fee).

T-Connect covers ADSL and/or cable modem packages from the incumbent ISP in each of the following countries: Austria, Belgium, Bulgaria, Cyprus, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Latvia, Lithuania, Luxembourg, Malta, Netherlands, Norway, Poland, Portugal, Romania, Slovakia, Slovenia, Spain, Sweden, Switzerland and the United Kingdom.

In this report ComReg has compared both residential and business tariffs. Business tariffs and/or bundled tariff data were not available for some countries, either because such services are not offered or no published prices were available.

Three baskets are produced in the report:

- Lowest monthly residential broadband package in the 1-4Mb speed category the Irish data is based on Eircom's Home Broadband Starter 1Mb package
- Lowest monthly residential broadband package across all speeds- the Irish data is based on Eircom's Home Broadband Starter 1Mb package
- Lowest monthly Business DSL basket in the 4-10 Mb speed category the Irish data is based on Eircom's Business Starter Package

Charges for modems or routers and ISP subscription charges are only included in the comparison in cases where they are bundled in with the complete service offering.

Results:

Results are given in €/PPPs and include VAT.

 It is important to remember that these comparisons do not consider some elements of broadband services that may well have an impact on the way they are priced – these might include carrier specific "Quality of Service" features, such as guaranteed transmission bitrates. They do, however, produce comparable price points for what are widely different offerings across the countries in the comparison. It should be noted that cheaper or more expensive services may be offered in each country by other service providers. Cable modem packages may not be nationally available due to the fact that cable operators in many countries, including Ireland, were originally awarded regional franchises only.

ComReg published mobile broadband basket comparisons based on Teligen's T-wireless product for the first time in the Q1 2011 quarterly report. The following table shows the parameters used for the basket calculations.

Basket definitions for Wireless Broadband usage

All values are per month

	Usage duration	Days in use	Usage volume		age distrib	oution	Deprecia tion
Basket #	Hours per month	Days in use per month		%day	% evening	% weeken d	Years
1	2	10	0.3	25%	50%	25%	3
2	4	10	0.7	25%	50%	25%	3
3	5	15	1	25%	50%	25%	3
4	8	15	1.5	25%	50%	25%	3
5	15	25	3	25%	50%	25%	3
6	30	30	6	25%	50%	25%	3
7	50	30	10	25%	50%	25%	3
8	100	30	20	25%	50%	25%	3

Speed range selection

Four ranges of speeds can be defined by setting the minimum speed for each range

Range #	Minimum bitrate	
1	0	kb/s
2	1024	kb/s
3	2048	kb/s
4	7000	kb/s

ComReg has published data based on usage profiles of basket 2 for residential pre-pay consumers, basket 4 for residential post-pay consumers and basket 5 for post-pay business consumers to represent typical mobile broadband usage in Ireland.

All speed categories have been included and represent advertised speeds.

Each of these baskets are single (non bundled) products. VAT is included for residential baskets and excluded for business baskets. Total cost includes some or all of the following three elements where applicable. Non-recurring costs from installation costs, and costs of the modem divided by the number of months of a depreciation period (3 years). Recurring cost from rental charges for the service and any modem rental costs and a usage cost from any time or volume charges over and above included allowance.

Other data

Figure/ Section	Indicator	Definition
1.4.1	Consumer Price Index and Communications Sub-Component	This chart shows the annual percentage change in the consumer price index and its communications sub- component over the last five years.
3.4.1	Fixed Broadband Subscriptions per Capita	Fixed broadband subscriptions per capita based on data sourced from Informa UK Limited.
3.4.2	Broadband Household Penetration Rate, 2004 - 2010	This chart shows the EU27 and Ireland household broadband penetration rate over time. This data is taken from Eurostat information and society statistics.
3.5.2	WiFi Hotspots, Access Points and Minutes of Use	A comparison of WLAN public hotspots among EU countries based on data sourced from Informa UK Limited.
4.1.2	Wireless Broadband Subscriptions	This chart is based on data from the OECD and compares wireless broadband subscriptions by type across all OECD countries.
5.1.1	TV Homes by Reception Type	This table shows total TV homes by reception type which is determined by the TV channels a household receives. Reception type categories are therefore hierarchically defined and are mutually exclusive. This table composes of: Multi Total: Made up of Multi

		Terrestrial homes plus Cable/Satellite homes and is therefore any home which receives more than just the four Irish terrestrial channels (RTÉ1, RTÉ2, TV3, TG4). Made up of Multi Terrestrial, UK DTT / FTA Satellite, Cable, and SKY homes. Irish Terrestrial Homes which only receive the four Irish terrestrial channels (RTÉ1, RTE2, TV3, TG4) via an aerial or Irish DTT service. Multi Terrestrial: Homes which receive at least one of the UK channels (BBC, UTV, Channel 4, HTV, S4C, Channel 5) via an aerial, but do not receive any Cable/Satellite channels. Cable/Satellite: Homes which receive any Cable/Satellite channels (Sky One, Sky News, Sports channels, MTV, E4, Movie channels, etc.). Sky numbers are based on the possession of a Sky box, and not based on being a Sky subscriber. Digital cable includes homes with IPTV. Digital and Total Cable/satellite digital includes UK DTT.
5.1.2	TV Homes by Reception Method	This chart shows the percentage of TV homes by the method by which the homes receive their channels. Each home can have more than one method of reception. e.g. aerial and cable or Sky, Sky and cable, etc. The question is asked for their main and up to 9 TV sets. For this reason, the total for the reception methods adds up to more than 100%.
5.1.3	TV Homes	This chart shows the total number of TV homes in Ireland over time, including a break out of digital TV homes and multi total TV homes.
5.1.4	DVD, Broadband, Games Console and PVR Trends	This chart shows the trend in household DVD, broadband access, games console and PVR ownership over time (A PVR is an electronic device used to record media digitally. This is a generic term, and can be used to describe portable media players, stand-alone units, and combination units. The PVR is also known as the digital video recorder or DVR).
5.1.5	Pay TV vs Free to Air TV Homes	This chart shows the proportion of pay TV (cable/satellite) homes and free to air TV homes, based on reception method.
5.1.6	Digital and Analogue TV Reception	This data is based on the type of channels received in a TV home, showing the change over time between analogue reception and digital reception.

Glossary

Access Line	Access Line means a connection from the Network Termination Point
	to the entry point to the local switch or remote concentrator,
	whichever is nearer. In many cases this is the main distribution
	frame.
ADSL	Asymmetric Digital Subscriber Line: Utilises a technology that
	transforms a normal telephone line into a high-speed digital line that enables access to telephony services and the Internet at the same
	time. ADSL provides always-on access to Internet or TV and Video
	on-demand services at speeds that are 10 to 40 times faster than a
	standard 56k modem. An ADSL line has a higher downstream speed
	(into the end user) than upstream speed (away from the end user).
Analogue	The direct representation of a waveform, as opposed to digital which
	is a coded representation. An analogue signal is one that varies
	continuously (eg. Sound waves). Analogue signals vary along two
	parameters, amplitude (strength) and frequency (tone). The unit of
	measurement is the Hertz, or cycle per second.
АТМ	Asynchronous Transfer Mode – the internationally agreed basis for
	broadband ISDN. A technology that enables all types of information
	(data, voice and video in any combination) to be transported by a
	single network infrastructure.
ARPM	Average Revenue Per Minute- Average Revenue Per Minute generated
	by mobile customers, bob prepaid and post-paid, based on usage of
	voice services only. Revenues from data usage such as SMS and MMS are not included.
ARPU	Average Revenue Per User- A measure of the average revenue
	generated per subscriber over a specific time period; ARPU in this
	report is calculated on a monthly basis.
Bandwidth	The physical characteristic of a telecommunications system that
	indicates the speed at which information can be transferred. In
	analogue systems, it is measured in cycles per second (Hertz) and in
	digital systems in binary bits per second. (Bit/s).
Bits per second	Basic unit of measurement for serial data transmission capacity;
	abbreviated as K bps, or kilobit/s for thousands of bits per second; M
	bps or megabit/s for millions of bits per second; G bps, or gigabit/s
	for billions of bits per second; T bps or terabit/s or trillions of bits per
Broadband	second. Broadband access is defined as speeds of 144kbit/s or greater. Active
Bioauballu	broadband lines or subscriptions are required based on their
	maximum download speed as advertised by the provider.
Cable Modem	A cable modem is a device that enables a PC to be linked to a local
cable Floden is a device that enables a PC to be linked to a cable TV line for internet/data services.	
Calling Line Identity	A facility that enables identification of the number from which a call is
(CLI)	being made.
Carrier Pre-selection	Carrier Pre Selection is the wholesale product offered to other
(CPS)	authorised operators which facilitates them to offer their retail
	customers certain defined classes of calls to be carried by that
	operator. These calls are selected in advance based on a contract
	with the customer, without the customer having to dial a routing prefix or follow any other different procedure to invoke such routing.
Co-location	The provision of space for a customer's telecommunications
	equipment on the service provider's premises.
Dial-up	Connections made to a data network using the switched network to
	provide a voice band or data bearer.
Digital	The coded representation of a waveform by, for example, binary
	digits in the form of pulses of light, as opposed to analogue which is
	the direct representation of a waveform.
Digital Audio	Digital audio broadcasting (DAB), also known as digital radio and
Broadcasting (DAB)	high-definition radio, is audio broadcasting in which analogue audio is
	converted into a digital signal and transmitted on an assigned channel
	in the AM or (more usually) FM frequency range.
Digital Subscriber	A family of technologies generically referred to as DSL or xDSL, which
Line (DSL)	are capable of transforming a normal telephone line into a high-speed
	digital line. These include ADSL (Asymmetric DSL), SDSL (Symmetric
	DSL), HDSL (High data rate DSL) and VDSL (Very high data rate
	DSL). DSL enabled lines are capable of supporting services such as

	fast Internet access and video or TV on-demand.
Digital Terrestrial	Digital television broadcast entirely over earthbound circuits. DTT
Television (DTT)	signals are broadcast over essentially the same media as the older
	analogue terrestrial TV signals. DTT provides a clearer picture and
	superior sound quality when compared to analogue TV, with less interference and offers far more channels, thus providing the viewer
	with a greater variety of programmes.
Direct Access	The situation where a customer is directly connected to a
	telecommunications operator by a wire, fibre-optic or radio link to
	connect that customer to the public telecommunication network.
Directory Enquiry	Directory information service which is operator assisted and involves
Service (DQ) Ethernet Leased	the operator looking up entries on a database. Leased Lines delivered with an interface defined under standard IEEE
Lines	802.3 is the OSI Model Layer 2 "Data Link Media Layer" or TCP/IP
	Model Layer 2, Data Link (Network Interface) layer and describes the
	Ethernet interface standard now adopted as a method for connecting
	equipment/networks to "Wide Area Networks". The physical media
Fibre Optic Cable	can be wireless, copper or fibre. A transmission medium that uses glass or plastic fibres rather than
Fibre Optic Cable	copper wire to transport data or voice signals. The signal is imposed
	on the fibres via pulses (modulation) of light from a laser or a light-
	emitting diode (LED). Because of its high bandwidth and lack of
	susceptibility of interference, fibre-optic cable is used in long-haul or
Eived Mehile	noisy applications.
Fixed Mobile Convergence (FMC)	FMC is a development of the concept of convergence in the telecommunications sector that covers the coming together of fixed
convergence (The)	telecommunications, including fixed cellular such as Wi-Fi and pure
	cellular
Fixed telephone	Means the provision to end-users at fixed locations of a service for
Services	the originating and receiving of national and international calls,
	including voice telephony services and may include, in addition, access to emergency 112 services, the provision of operator
	assistance, directory services, provision of public pay telephones,
	provision of service under special terms or provision of special
	facilities for customers with disabilities or with special social needs
	but does not include value added services provided over the public
Flat Rate Internet	telephone system. The provision of a Flat Rate Internet Access Call Origination via a
Access (FRIACO)	wholesale un-metered Internet access product.
Fixed Wireless	A system that connects subscribers to the public switched telephone
Access (FWA)	network (PSTN) using radio signals as a substitute for copper wires
	for all or part of the connection between the subscriber and the
FTTx	switch. FTTx is the installation and use of optical fibre from a central point
FIIX	directly to individual buildings such as houses, apartment buildings or
	businesses to provide high-speed Internet access or services such as
	TV or voice telephony. FTTx refers to a range of fibre access
	installations such as fibre to the home (FTTH), fibre to the curb
Global System for	(FTTC) and fibre to the premises (FTTP). A second generation digital mobile technology. Initially developed for
Global System for Mobile	operation in the 900MHz band and subsequently modified for the 850,
Communications	1800 and 1900MHz bands. GSM originally stood for Groupe Speciale
(GSM)	Mobile, the CEPT committee which began the GSM standardisation
	process.
High Speed Data	HSDPA (High-Speed Downlink Packet Access) is a packet-based
Packet Access (HSDPA)	mobile telephony protocol used in 3G UMTS radio networks to increase data capacity and speed up transfer rates. HSPDA specifies
	data transfer speeds of up to 14.4 Mbps per cell for downloads and 2
	Mbps per cell for uploads.
ICT	Information & Communications Technologies
Indirect Access	Where a customer's call is routed and billed through operator A's
	network even though the call originated from the network of operator
Integrated Services	B. It is the generic term for both easy access and equal access. A network based on the existing digital PSTN which provides digital
Digital Network	links to customers and end to end digital connectivity between them.
(ISDN)	ISDN2 provides a maximum bandwidth of 128kbit/s.
ISDN BRA	
	Means Integrated Services Digital Network, Basic Rate Access.
ISDN PRA Interconnection	Means Integrated Services Digital Network, Basic Rate Access. Means Integrated Services Digital Network, Primary Rate Access Services provided by one telecommunications organisation to another

services	for the purpose of the conveyance of messages and information		
	between the two systems and including any ancillary services necessary for the provision and maintenance of such services.		
Internet protocol (IP)	Packet data protocol used for routing and carriage of messages across the internet.		
Internet telephony	A specific type of unmanaged VoIP service that uses the public Internet to carry the IP traffic (also referred to as Voice over the		
ISP	Internet). Internet Service Provider		
Leased line	The term "leased lines" refers to fixed, permanent		
	telecommunications connections providing symmetric or near symmetric capacity between two points. A leased line is permanent, in that capacity is available between the two fixed points, although capacity could be reserved or shared through the associated network depending on the nature of the leased line. Provision of the service is "technology neutral" and can be provided over either wired or wireless media and data for both should be provided. N.B. the national portion of international leased lines should be included in the figures supplied in all cases. The national access portion connecting a customer site to an operator international switching centre or node would count as an access line and an associated value ascribed to it.		
Local Loop	The access network connection between a customer's premises and the local exchange. This usually takes the form of a pair of copper wires.		
Local Loop unbundling (LLU)	LLU was mandated by the EU in December 2000. It requires those operators designated as having significant market power) to make their local networks (i.e. the telephone lines that run from a customer's premises to the local telephone exchange) available to other telecommunications companies on a wholesale basis.		
Managed services			
	Managed services include fully outsourced network management arrangements, including advanced features like IP telephony, messaging and call centre, virtual private network (VPNs), managed firewalls, and monitoring/reporting of network servers. Most of these services can be performed from outside a company's internal network.		
Mobile Number	The facility which allows mobile subscribers to retain their mobile		
Portability (MNP)	number when moving between mobile networks e.g. a customer with an 083, 085, 086 or 087 mobile number can be an active subscriber on the network of their choice with their current number.		
Modem	A device which converts digital signals from a data-transmitting terminal into modulated analogue signals which can be carried by a		
	public telephone network.		
Multimedia messaging Service (MMS)			
messaging Service	public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service		
messaging Service (MMS) Multipoint Microwave Distribution System (MMDS) Narrowband	 public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service (SMS) protocol. Multipoint Microwave Distribution System (MMDS) is a system to allow for the distribution of multi-channel television. This is a subscriber-based system which operates in the microwave part of the band (2GHz - 3 GHz). Reception of MMDS is typically through a roof-top microwave antenna and set-top box. A service or connection allowing only a limited amount of information to be conveyed, such as for telephony. This compares with broadband which allows a considerable amount of information to be conveyed. 		
messaging Service (MMS) Multipoint Microwave Distribution System (MMDS) Narrowband Network Termination Point	 public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service (SMS) protocol. Multipoint Microwave Distribution System (MMDS) is a system to allow for the distribution of multi-channel television. This is a subscriber-based system which operates in the microwave part of the band (2GHz - 3 GHz). Reception of MMDS is typically through a roof-top microwave antenna and set-top box. A service or connection allowing only a limited amount of information to be conveyed, such as for telephony. This compares with broadband which allows a considerable amount of information to be conveyed. Means the physical point at which a subscriber is provided with access to a public communications network; in the case of networks involving switching or routing, the network termination point is identified by means of a specific network address, which may be linked to a customer number or name. 		
messaging Service (MMS) Multipoint Microwave Distribution System (MMDS) Narrowband Network Termination Point Originating network	 public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service (SMS) protocol. Multipoint Microwave Distribution System (MMDS) is a system to allow for the distribution of multi-channel television. This is a subscriber-based system which operates in the microwave part of the band (2GHz - 3 GHz). Reception of MMDS is typically through a roof-top microwave antenna and set-top box. A service or connection allowing only a limited amount of information to be conveyed, such as for telephony. This compares with broadband which allows a considerable amount of information to be conveyed. Means the physical point at which a subscriber is provided with access to a public communications network; in the case of networks involving switching or routing, the network termination point is identified by means of a specific network address, which may be linked to a customer number or name. The network to which a caller who makes a call is directly connected. 		
messaging Service (MMS) Multipoint Microwave Distribution System (MMDS) Narrowband Network Termination Point	 public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service (SMS) protocol. Multipoint Microwave Distribution System (MMDS) is a system to allow for the distribution of multi-channel television. This is a subscriber-based system which operates in the microwave part of the band (2GHz - 3 GHz). Reception of MMDS is typically through a roof-top microwave antenna and set-top box. A service or connection allowing only a limited amount of information to be conveyed, such as for telephony. This compares with broadband which allows a considerable amount of information to be conveyed. Means the physical point at which a subscriber is provided with access to a public communications network; in the case of networks involving switching or routing, the network termination point is identified by means of a specific network address, which may be linked to a customer number or name. The network to which a caller who makes a call is directly connected. OAO means a legal entity other than eircom which is designated under Section 4 (1) of the European Communities (Electronic Communications Network and Services) (Authorisation) Regulations 2003 (S.I N0.306 of 2003), to provide an electronic communications 		
messaging Service (MMS) Multipoint Microwave Distribution System (MMDS) Narrowband Network Termination Point Originating network Other Authorised	 public telephone network. A communications technology developed by 3GPP (Third Generation Partnership Project) that allows users to exchange multimedia communications such as pictures between capable mobile phones and other devices. MMS is an extension to the Short Message Service (SMS) protocol. Multipoint Microwave Distribution System (MMDS) is a system to allow for the distribution of multi-channel television. This is a subscriber-based system which operates in the microwave part of the band (2GHz - 3 GHz). Reception of MMDS is typically through a roof-top microwave antenna and set-top box. A service or connection allowing only a limited amount of information to be conveyed, such as for telephony. This compares with broadband which allows a considerable amount of information to be conveyed. Means the physical point at which a subscriber is provided with access to a public communications network; in the case of networks involving switching or routing, the network termination point is identified by means of a specific network address, which may be linked to a customer number or name. The network to which a caller who makes a call is directly connected. OAO means a legal entity other than eircom which is designated under Section 4 (1) of the European Communities (Electronic Communications Network and Services) (Authorisation) Regulations 		

Circuit (PPC)			
x <i>y</i>	combine their network infrastructure with capacity provided by the incumbent.		
Path			
	A path is a route between any two points or nodes.		
Premium rate	Services, including recorded information and live conversation, run by		
services (PRS)	independent service providers. All calls to these companies are		
	charged at a higher rate than ordinary calls to cover the companies'		
	costs in providing the content of the call and the operator's cost for		
	the special network facilities needed.		
Private circuits	Point-to-point circuits for customers exclusive use covering speech,		
	data or image communications.		
Public switched	A voice-oriented public telephone network. Also known as the Plain		
telephone network	Old Telephone Service (POTS).		
(PSTN)			
Public	A telecommunications network used, in whole or in part, for the		
telecommunications	provision of publicly available telecommunications services.		
network			
Purchasing Power	Purchasing Power Parities (PPPs) are currency conversion rates that		
Parities (PPPs)	both convert to a common currency and equalise the purchasing		
runnes (rrrs)	power of different currencies. In other words, they eliminate the		
	differences in price levels between countries in the process of		
Desellers	conversion.		
Resellers	Service Providers who do not have their own network.		
RFID	RFID (radio frequency identification) is a technology that incorporates		
	the use of electromagnetic or electrostatic coupling in the radio		
	frequency (RF) portion of the electromagnetic spectrum to uniquely		
	identify an object, animal, or person.		
Roaming	A service unique to GSM which enables a subscriber to make and		
	receive calls when outside the service area of his home network e.g.		
	when travelling abroad.		
Short message	A service for sending messages of up to 160 characters (224		
service (SMS)	characters if using a 5-bit mode) to mobile phones that use Global		
. ,	System for Mobile (GSM) communication.		
Spectrum	The range of wavelengths used, for example, for broadcasting radio,		
opeen uni	terrestrial television and satellite television. Usable wavelength		
	ranges from about 100 KHz to about 400 GHz although there are as		
	yet no broadcasts above about 12 GHz.		
Subseriber Identity	A smart card containing the telephone number of the subscriber,		
Subscriber Identity Module (SIM)			
Module (SIM)	encoded network identification details, the PIN and other user data		
	such as the phone book. A user's SIM card can be moved from phone		
	to phone as it contains all the key information required to activate the		
	phone.		
Switch	Relates to a telecommunications network comprising at least one		
	exchange and capable of routing signals and messages from one line		
	to all other lines comprised in the network.		
Telecommunications	Conveyance of speech, music and other sounds, visual images or		
	signals by electric, magnetic, electro-magnetic, electro-chemical or		
	electro-mechanical means.		
Terminating network			
	electro-mechanical means.		
Third generation	electro-mechanical means. The network to which a caller who receives a call is directly		
_	electro-mechanical means. The network to which a caller who receives a call is directly connected.		
Third generation	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access).		
Third generation mobile systems (3G)	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network		
Third generation mobile systems (3G)	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that		
Third generation mobile systems (3G) Transit	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. 		
Third generation mobile systems (3G)	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a		
Third generation mobile systems (3G) Transit Trunk network	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system		
Third generation mobile systems (3G) Transit Trunk network Voice over	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN		
Third generation mobile systems (3G) Transit Trunk network	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may		
Third generation mobile systems (3G) Transit Trunk network Voice over	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over		
Third generation mobile systems (3G) Transit Trunk network Voice over	electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services from a separate entity, or have both broadband		
Third generation mobile systems (3G) Transit Trunk network Voice over	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same 		
Third generation mobile systems (3G) Transit Trunk network Voice over	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB)	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services from a separate entity, or have both broadband and voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB)	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or networks such that any user can use equipment connected to a 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or networks such that any user can use equipment connected to a network termination point at a fixed location to communicate with 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony service	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or networks such that any user can use equipment connected to a 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or networks such that any user can use equipment connected to a network termination point at a fixed location to communicate with 		
Third generation mobile systems (3G) Transit Trunk network Voice over Broadband (VoB) Voice telephony service	 electro-mechanical means. The network to which a caller who receives a call is directly connected. A European 3G mobile communications system provides an enhanced range of multimedia services (e.g. high speed Internet access). A transit service is a conveyance service provided by a network between two points of interconnection. It is therefore a service that links two networks that are not in themselves interconnected. A trunk network that connects major switching centres or nodes in a communications system IP-based services that facilitate voice calls to and/or from the PSTN over a broadband connection. With this service, the customer may either have broadband access from an ISP and acquire voice over broadband services bundled together by the same supplier. Voice services bundled with digital TV services and delivered over digital cable TV networks should also be recorded here. A service available to the public for the commercial provision of direct transport of real-time speech via the public switched network or networks such that any user can use equipment connected to a network termination point at a fixed location to communicate with another user of equipment connected to another termination point. 		

network (VPN)	connections either for telephone speech or data as if there were dedicated leased lines between these sites. The equipment used is located within the public telecommunications operator's premises and forms an integral part of the public network but is software- partitioned to allow for a genuinely private network	
Wholesale Line Rental (WLR)	Wholesale line rental, or WLR, is when the incumbent offers at a wholesale level, narrowband access lines and associated features at the local switch in order to allow rival operators to offer retail customers a complete fixed narrowband access services with one single bill.	
Wi-Fi	Wi-Fi (short for "wireless fidelity") is a term for certain types of wireless local area network (WLAN) that use specifications in the 802.11 family of standards. The term Wi-Fi was created by an organization called the Wi-Fi Alliance, which oversees tests that certify product interoperability. Wi-Fi access points provide Internet connection and virtual private network (<u>VPN</u>) access from a given location e.g. public places, such as airports, hotels, and coffee shops. Access is facilitated via the user's own portable computer.	
WIMAX	WiMAX (Worldwide Interoperability for Microwave Access) is a wireless technology based on IEEE 802.16 standards for broadband wireless access (BWA) networks	

Appendix Purchasing Power Parities (August 2011)

Exchange rates used	l:	Aug-11
Related to:	US\$	US\$ PPP
Australia	1.1006	0.655119048
Austria	1.4401	1.133937008
Belgium	1.4401	1.082781955
Canada	1.0475	0.787593985
Chile	0.002187	0.00284026
Czech Rep.	0.05949	0.066842697
Denmark	0.1932	0.113647059
Estonia	1.4401	1.469489796
Finland	1.4401	0.993172414
France	1.4401	1.082781955
Germany	1.4401	1.180409836
Greece	1.4401	1.263245614
Hungary	0.005351	0.006295294
Iceland	0.008641	0.006857937
Ireland	1.4401	1.007062937
Israel	0.2923	0.223129771
Italy	1.4401	1.263245614
Japan	0.013029	0.008686
Korea	0.0009495	0.00110407
Luxembourg	1.4401	1.021347518
Mexico	0.08538	0.115378378
Netherlands	1.4401	1.133937008
New Zealand	0.8799	0.661578947
Norway	0.1863	0.106457143
Poland	0.3599	0.486351351
Portugal	1.4401	1.285803571
Slovak Rep.	1.4401	1.674534884
Slovenia	1.4401	1.384711538
Spain	1.4401	1.241465517
Sweden	0.1593	0.111398601
Switzerland	1.2722	0.6361
Turkey	0.5905	0.89469697
UK	1.6431	1.293779528
USA	1	1

Appendix Revision of Teligen Basket Methodologies

The OECD has developed a set of methodologies for comparing retail prices of telecommunication services for the purpose of assessing the price levels experienced by consumers and businesses in the member countries.

The methodologies are based on a "basket" approach where a consumption pattern is described for different types of users, and the prices of corresponding services from each provider covered are used to calculate the resulting cost for each type of user. These baskets are referred to as the "OECD Baskets".

The baskets are reviewed and revised periodically as consumption patterns change. Previous revisions of the baskets took place in 2000, 2002 (mobile only), 2005 and now in 2009 with an OECD / Teligen workshop in Barcelona.

The baskets are based on actual traffic data and consumption data, collected from operators and regulators in the OECD member countries. The OECD, together with Teligen, has developed an approach to the collection of data and the development of basket methodologies that is based on the following elements:

- Input from the OECD / Teligen basket workshop in Barcelona June 2009.
- Traffic data and views submitted by operators and regulators in the OECD member countries up until the end of October 2009 and comments on the proposal presented in December 2009.

Much of the background data which underpins the basket methodologies is commercially sensitive and operators have submitted the data to Teligen to be analysed on behalf of the OECD. The following basket definitions take into account all data received from operators and regulators.

1.1 New in these basket definitions

1.1.1 Voice call calculations

The 2009 basket revision includes a new method of accounting for different billing durations (*e.g.* per second, per minute). This issue concerns both the PSTN and the mobile baskets.

The former calculation of individual call costs was based on the standard (average) call duration specified in the basket for each type of call (destination and time). The call cost was calculated using the actual billing period, *i.e.* using the full number of billing units covering the call duration. Essentially, calls of various durations were rounded up to the next billing increment.

Table 1.	Former method for calculating	g call durations by rounding to the nearest billable unit
----------	-------------------------------	---

60 second billing:	(75/60) = 2 units = 120 seconds
20 second billing:	(75/20) = 4 units = 80 seconds
Per second billing:	(75/75) = 75 units = 75 seconds

This meant that a 75 second call was billed as 75 seconds with per-second billing, and as 120 seconds with per minute billing. This approach took into account the billing system effect on the cost, but not the distribution of call durations. The selection of call duration in the basket would have a large influence on the level of overbilling of actual call time. For example, a call just over the billing increment would require a larger rounding up to reach the next increment while a call approaching the actual billing increment would have very little overbilling.

If the average duration used in the basket was just below a multiple of billing units there was a small additional time added as an effect of the billing. If, by contrast, the duration selected for the basket happened to be just above a multiple of billing units the additional time (and cost) added could be significant. The effect was somewhat arbitrary.

This 2009 revision changes the calculation to use the average duration defined by the basket, and then add an element related to the billing method and distribution. The rationale behind this can be explained as follows:

The new system for capturing differences in billing systems essentially calculates the price of a call based on the actual number of seconds stipulated by the basket and then adds an additional adjustment reflecting the average "overbilling" of calls corresponding to the billing system. Figure 2 below shows how the amount of overbilling varies for each call.




Figure 1. Implications of the new methodology on different time-based billing systems

A call can have any duration, defined as A (seconds), and it ends P seconds into the last unit. When the billing unit duration is N (seconds) the actual billing will overstate the average duration with

S=0, 1, 2, 3,, N-1 seconds,

depending on the value of A. If we assume that there is an even likelihood of any of these durations (which is a simplification), the average overstated duration will be S=(N-1)/2. By adding this to the average duration before calculating the cost of the call, the effect of both the billing unit and the call distribution will be taken into account. The call calculation will then always be calculated as if the billing is based on average per minute charge, calculated to the fractions of a second before an adjustment for the billing systems is made.

Per minute billing	= 29.5 second adjustment
Per 20 second billing =	9.5 second adjustment
Per second billing	= 0 second adjustment

Given an example with a 75 second call, the "adjusted" call duration will be calculated as follows under different billing systems:

Table 2. Revised method for calculating call durations based on the average overbilling for each method

60 second billing:	75 + (60-1)/2 = 75 + 29.5 = 104.5 seconds
20 second billing:	75 + (20-1)/2 = 75 + 9.5 = 84.5 seconds
Per second billing:	75 + (1-1)/2 = 75 + 0 = 75 seconds

With this "adjusted" call duration the cost per call is calculated on the basis of the charge per second in all cases.

If the "adjusted" call duration is shorter than the billing unit the full price of one billing unit will be considered as the cost of the call. Any call set up charge will be added to the cost per call.

1.1.2 Selective discounts

Selective discount plans allow users to typically specify 1, 2, 3 or up to 10 or more numbers (depending on the plan) to which calls and/or messages will be free or

discounted. The basket definitions generically refer to these plans as "selective discounts" although they are also known under brand names like "Friends and Family", "Bestmates", "Preferred numbers", "Calling circle" etc.

It is also worth noting that there will normally be an overall traffic increase with the introduction of selected discounts. Most of this increase will go to the nominated numbers, and will only have a limited effect on the end user cost as such calls are free or heavily discounted. In the basket calculations this increase is not considered.

The handling of the selective discount is based on the following elements and assumptions:

The total number of minutes for all calls in the basket is V

The discount applies to N nominated numbers

The discount D (%) applies to each of these calls

(D=100% is a free call)

The proportion of minutes A (%) receiving the discount is calculated based on the formula below, using V and N as input data. The proportion A is adjusted according to the discount D

 $(\mathbf{A}_2 = \mathbf{A} \times \mathbf{D})$

Mapping information will indicate which call types are affected by the discount.

The remaining proportion A_2 is used to calculate the number of minutes to be deducted from the basket minutes according to the call type mapping.

Cost of remaining minutes is calculated as usual.


Where discounted SMS is offered as part of the discount they will be deducted using the same value A from the formula below, and the relevant discount applicable to the SMS.

The critical element is the calculation of A. This proportion is based on N (number of nominated numbers) and V (total minutes in basket), and an empirically developed function can be used to calculate the proportions as shown on the graph below. The function is:

A $_{(\%)} = Log(10 \text{ x } \text{N}^{1.5}) / Log(10 \text{ x } \text{V})$

This function provides a proportion that resembles the amount of calls going to nominated numbers in the data received from operators in this basket review.

Figure 2. Selective call discount volumes



The selective discount will be taken before any minute, message and value allowances included in the package. The amount of minutes that will be deducted because of the selective discount is calculated as:

 $V_{(2)} = V_{(1)} x (Log(10 x N^{1.5}) / Log(10 x V)) x D$

where $V_{(1)}$ is the total number of minutes defined by the basket, and $V_{(2)}$ is the number of minutes going to the nominated numbers

 $V_{\rm (2)}$ is then distributed to the specific call types according to the selective discount mapping. Each call type will have between zero and $V_{\rm (2)}$ minutes to be deducted. The remaining minutes for each call type is used for the following distribution of allowances and calculation of call costs.

1.1.3 Local calling areas for the PSTN baskets

Previous versions of the baskets provided 14 discrete distances for national fixed line calls. This enabled both a distance distribution and a method for incorporating the size of local calling areas. The baskets now use only local and national areas to describe the national destinations for fixed line calls, due to considerable simplifications in the pricing of such calls in recent years.

In order to allow for differences in the size of local calling areas the following adjustment of the local and national call proportions will be used, based on the closest size of local calling area:

Average local call radius	Local adjustment	National adjustment
10 km	-8.9%	+8.9%
15 km	-4.2%	+4.2%
20 km	-1.4%	+1.4%
25 km	0.0%	0.0%
30 km	3.2%	-3.2%
50 km	6.4%	-6.4%
100 km	9.6%	-9.6%

Table 3. Local and national call proportions

In addition the percentages above must be adjusted with the proportion of fixed line calls in each basket, as given in Table 4 below.

	Basket adjustment
20 calls basket	81%
60 calls basket	75%
140 calls basket	73%
420 calls basket	90%
100 calls business basket	67%
260 calls business basket	66%

Table 4. Basket adjustment

An example: The 60 calls basket will have the following adjustment factors:

Table 5. Example – 60 call basket

Average	Local	National
Local call	adjustment	adjustment
area radius	aajaotinont	aajaoanon
10 km	-6.7%	6.7%
15 km	-3.2%	3.2%
20 km	-1.1%	1.1%
25 km	0.0%	0.0%
30 km	2.4%	-2.4%
50 km	4.8%	-4.8%
100 km	7.2%	-7.2%

If the operator, for example, uses an average local calling radius of 15 km, the fixed-to-fixed local proportion will be 60% - 3.2% = 56.8%, and the fixed-to-fixed national portion will be 15% + 3.2% = 18.2%.

PSTN baskets

1.2 General basket rules: PSTN

Only incumbent operators are covered.

For each operator a relevant number of packages shall be included. Combinations of packages are allowed. Discounts shall be incorporated in the calculations of prices for each basket. Only tariffs presented clearly as current tariffs on the operator web pages will be considered.

Selective discounts are calculated with the algorithm described above.

There are 4 residential and 2 business baskets:

Type of basket	Basket
Residential	20 calls basket
Residential	60 calls basket
Residential	140 calls basket
Residential	420 calls basket
Business	100 calls business basket, single user
Business	260 calls business basket, single user

 Table 6. Residential and business PSTN baskets

Nonrecurring charges are covered using the charge for a new installation of a service.

Nonrecurring charges are distributed over 5 years, except where the installation is a tradable asset (Japan) where the charge is distributed over 20 years.

Call costs are calculated using the duration of $D + (Unit_{(seconds)}-1)/2$, based on basket call duration D converted to seconds and average per second charges. Unit is the billing unit in seconds.

National call charges to fixed networks are based on a local / national split. While this is adequate for most prices, some operators may split their prices into local / regional / national. In such cases only the prices for local and national areas will be considered.

The proportion of calls to the local calling area will be adjusted for local calling area radius as described above in Table 3.

When call charges to mobile networks differ by network, the weighted average charge for calls to all national mobile networks shall be used, based on available subscriber numbers.

International calls to other OECD countries are included, with call charges weighted according to actual traffic volumes. This means that those destinations with the most traffic will carry the most weight. Traffic volume weights can be provided by national regulators. Until such weights are provided the existing weights are used.

For international calls the highest charge is used for peak time, and the lowest is used for off-peak time.

Allowances are deducted in the following order: Selective discounts, minute allowance, value allowance. Specific volume discounts will be deducted from the total cost at the end.

Results are presented in USD / PPP per month, excluding VAT for business baskets and including VAT for residential baskets. Nominal exchange rates can be used.

1.3 PSTN basket parameters

		Call distribution			
Calls per month	Total calls	Fixed to fixed Local	Fixed to fixed National	Fixed to mobile	International
20 calls basket	20	61%	20%	17%	2%
60 calls basket	60	60%	15%	21%	4%
140 calls basket	140	58%	15%	23%	4%
420 calls basket	420	73%	17%	8%	2%
100 calls business basket	100	48%	19%	30%	3%
260 calls business basket	260	43%	23%	25%	9%

 Table 7.
 Overall basket volumes and destination distribution (Fixed)

Table 8. Time of day distribution: Fixed to fixed

	F	Fixed to Fixed		
	Day	Day Evening Weeke		
20 calls basket	53%	25%	22%	
60 calls basket	60%	22%	18%	
140 calls basket	52%	26%	22%	
420 calls basket	52%	26%	22%	
100 calls business basket	69%	17%	14%	
260 calls business basket	75%	15%	10%	

Table 9. Time of day distribution: Fixed to mobile

	Fi	Fixed to Mobile Day Evening Weekend		
	Day			
20 calls basket	45%	28%	27%	
60 calls basket	57%	22%	21%	
140 calls basket	46%	27%	27%	
420 calls basket	46%	27%	27%	
100 calls business basket	69%	18%	13%	
260 calls business basket	77%	14%	9%	

Table 10. Time of day distribution: International (fixed)

	International	
	Peak	Off peak
20 calls basket	45%	55%
60 calls basket	44%	56%
140 calls basket	47%	53%
420 calls basket	47%	53%
100 calls business basket	75%	25%
260 calls business basket	87%	13%

1.3.1 PSTN call durations

	Fixed to fixed local		
	Day Evening Weeke		
20 calls basket	2.6	4.0	2.6
60 calls basket	2.6	3.8	2.9
140 calls basket	3.1	4.8	3.7
420 calls basket	3.6	5.4	5.4
100 calls business basket	1.9	2.3	2.1
260 calls business basket	2.0	2.8	3.1

Table 11. PSTN call durations: Fixed to fixed local, minutes per call

Table 12. PSTN call durations: Fixed to fixed national, minutes per call

	Fixed	Fixed to fixed national		
	Day	Day Evening Weeke		
20 calls basket	4.0	6.3	5.4	
60 calls basket	4.1	6.4	6.4	
140 calls basket	4.7	7.6	7.1	
420 calls basket	5.3	8.1	8.1	
100 calls business basket	2.3	3.3	3.3	
260 calls business basket	2.4	2.7	3.4	

Table 13.	PSTN call durations:	Fixed to mobile.	minutes per call
		TINCU LO INODIIC,	minutes per our

	Fixed to mobile			
	Day	Day Evening Weeken		
20 calls basket	1.5	2.1	1.3	
60 calls basket	1.9	2.4	1.9	
140 calls basket	1.7	2.3	2.1	
420 calls basket	1.8	2.3	2.3	
100 calls business basket	1.6	1.9	1.5	
260 calls business basket	1.7	2.2	1.9	

Table 14.	PSTN call durations: International	
-----------	------------------------------------	--

	International	
	Peak	Off peak
20 calls basket	4.6	6.2
60 calls basket	4.7	6.8
140 calls basket	4.7	6.8
420 calls basket	5.0	8.1
100 calls business basket	3.2	5.4
260 calls business basket	3.7	4.1

Mobile baskets

1.4 General basket rules

At least two largest network operators are covered for each country, based on subscriber numbers. The operators covered should between them have at least 50% of the market share.

Discount brands offered by the network operators will only be included when clearly linked with the network operator's website and brand.

Offers shall be typical 2G and 3G services with the main focus on voice.

A range of relevant price packages shall be covered, allowing the lowest cost package to be selected for each operator. Only price presented clearly as current on the operator web pages will be considered.

The basket methodologies can be used to compare different types of offers such as pre-paid, post-paid or SIM-only plans.

Basket
30 calls per month
100 calls per month
300 calls per month
900 calls per month
40 calls per month pre-paid basket
400 messages per month basket

Table 15. Mobile baskets

Nonrecurring charges are distributed over 3 years.

Selective discounts are calculated with the algorithm described in the section on selective discounts above.

The value of call and message allowances included in the package will be deducted from the usage element of the basket, up to the value of actual usage.

Allowances are deducted in the following order: Selective discounts, most restricted minute allowance, least restricted minute allowance, message allowance, value allowance. Specific volume discounts will be deducted from the total cost at the end.

Off-net mobile-to-mobile charges are weighted according to subscriber numbers for each country, where relevant for the pricing of calls.

Call costs are calculated using the duration of $\mathbf{D} + (\mathbf{Unit}_{(seconds)}-1)/2$, based on basket call duration D given below concerted to seconds and average per second charges. The Unit is the billing unit in seconds.

Results are presented in USD / PPP per month including VAT. Nominal exchange rates can be used.

1.5 Mobile basket parameters

	Total					
Volume per month	calls per month	Mobile to fixed	On-net	Off-net	Voicemail	SMS
30 calls basket	30	16%	55%	25%	4%	100
100 calls basket	100	17%	52%	28%	3%	140
300 calls basket	300	14%	46%	37%	3%	225
900 calls basket	900	14%	55%	28%	3%	350
40 calls prepaid basket	40	14%	64%	18%	4%	60
400 messages basket	8	8%	55%	25%	12%	400

Table 16. Mobile: Overall basket volumes and destination distribution

Table 17. Mobile time of day distribution

	Voice call distribution			Message distribution			
	Day	Evening	Weekend	Peak	Off-peak	On-net	Off-net
30 calls basket	46%	29%	25%	66%	34%	53%	47%
100 calls basket	51%	26%	23%	66%	34%	51%	49%
300 calls basket	49%	32%	19%	66%	34%	50%	50%
900 calls basket	49%	32%	19%	66%	34%	50%	50%
40 calls prepaid basket	46%	29%	25%	66%	34%	53%	47%
400 messages basket	46%	29%	25%	66%	34%	50%	50%

Table 18. Mobile voice call durations

	Call dura			
	Mobile to fixed	On-net	Off-net	Voicemail
30 calls basket	2.0	1.6	1.7	0.9
100 calls basket	2.1	1.9	1.8	1.0
300 calls basket	2.0	2.0	1.8	1.0
900 calls basket	1.9	2.1	1.9	1.1
40 calls prepaid basket	1.9	1.9	2.0	0.9
400 messages basket	1.6	2.2	1.6	1.1